


# RIVET BUSTERS

Toku / Tamco rivet busters are the ideal tool for any mid-sized demolition job you can throw at them. They perform under the roughest conditions, whether you're demolishing bridge decks, parking garages, ripping tanks, cutting rivet heads, or any demolition work. These hard hitting tools simply perform.

The Toku / Tamco line of rivet busters are available with goose-neck or D-handles, and are available in either small or jumbo buster steel. All Toku / Tamco rivet busters feature drop forged alloy steel handles, outside or inside trigger designs, heat treated alloy cylinders, exhaust deflectors, and safety piston stoppers.



## RB91HP Schematics

Shank Size	1-1/8" Shank (Jumbo Buster Steel)
Stroke Length	8-15/16" (227mm)
Piston Diameter	1-3/16" (30.2mm)
Impact Rate	700 B.P.M.
Weight	32 lbs. (14.3 kg.)
Overall Length	22-29/32" (582mm)
Air Consumption	36 C.F.M.
Air Inlet	3/8" NPT
Hose Size	1/2" (19mm)
Warranty	1 Year Limited Warranty



## RB91HPD (D-handle) Schematics

Shank Size	1-1/8" Shank (Jumbo Buster Steel)
Stroke Length	8-15/16" (227mm)
Piston Diameter	1-3/16" (30.2mm)
Impact Rate	700 B.P.M.
Weight	32 lbs. (14.3 kg.)
Overall Length	22-29/32" (582mm)
Air Consumption	36 C.F.M.
Air Inlet	3/8" NPT
Hose Size	1/2" (19mm)
Warranty	1 Year Limited Warranty



## RB-110 Schematics

Shank Size	1-1/8" Shank (Jumbo Buster Steel)
Stroke Length	11-15/16" (303mm)
Piston Diameter	1-3/16" (30.2mm)
Impact Rate	680 B.P.M.
Weight	35 lbs. (14.6 kg.)
Overall Length	26" (660mm)
Air Consumption	32.9 C.F.M.
Air Inlet	3/8" NPT
Hose Size	1/2" (19mm)
Warranty	1 Year Limited Warranty



## RB110D (D-handle) Schematics

Shank Size	1-1/8" Shank (Jumbo Buster Steel)
Stroke Length	11-15/16" (303mm)
Piston Diameter	1-3/16" (30.2mm)
Impact Rate	680 B.P.M.
Weight	35 lbs. (14.6 kg.)
Overall Length	26" (660mm)
Air Consumption	32.9 C.F.M.
Air Inlet	3/8" NPT
Hose Size	1/2" (19mm)
Warranty	1 Year Limited Warranty